

The Native Plant Nursery

2010 Perennial Plant List

Michigan Native Plants

WILDFLOWERS

Latin Name	Common Name		Sun			Moisture			Height (ft.)	Flowering time	Flower Color
						W	M	D			
<i>Achillea millefolium</i>	Yarrow		○	●				—	2-3	Summer	white
<i>Acorus calamus</i>	Sweet-flag		○	●		—			3-4	Spring	green
<i>Agastache nepetoides</i>	Giant Yellow Hyssop			●	●		—		4-6	Summer	pink-yellow
<i>Agrimonia gryposepala</i>	Agrimony			●	●		—		2-3	Summer	yellow
<i>Agrimonia parviflora</i>	Swamp Agrimony		○	●			—		3-4	Summer	yellow
<i>Allium cernuum</i>	Nodding Wild Onion		○	●			—		1-2	Summer	pink
<i>Amphicarpaea bracteata</i>	Hog-Peanut		○	●		—			vine	Summer	white-purple
<i>Anemone cylindrica</i>	Long-fruited Anemone		○	●			—		2-4	Summer	white
<i>Anemone virginiana</i>	Thimbleweed		○	●	●		—		2-4	Summer	white
<i>Anemonella thalictroides</i>	Rue Anemone			●	●		—		.5	Spring	white
<i>Angelica atropurpurea</i>	Angelica		○	●		—			5-8	Spring	white
<i>Antennaria parlinii</i>	Smooth Pussytoes		○	●			—		.5 -1	Spring	white
<i>Antennaria neglecta</i>	Field Pussytoes		○	●			—		.5 -1	Spring	white
<i>Apocynum androsaemifolium</i>	Spreading Dogbane		○	●			—		3-4	Summer	white-pink
<i>Apocynum cannabinum</i>	Indian Hemp		○	●			—		3-4	Summer	white
<i>Aquilegia canadensis</i>	Columbine			●	●		—		2-3	Spring	yellow-red
<i>Aralia racemosa</i>	Spikenard			●	●	—			3-6	Spring	white
<i>Arisaema triphyllum</i>	Jack-in-the-pulpit	+		●	●	—			1-2	Spring	green
<i>Asclepias incarnata</i>	Swamp Milkweed		○			—			3-4	Summer	pink
<i>Asclepias syriaca</i>	Common Milkweed		○	●			—		4-6	Summer	pink
<i>Asclepias tuberosa</i>	Butterfly Milkweed		○				—		2-3	Summer	orange
<i>Asclepias verticillata</i>	Whorled Milkweed		○				—		1-2	Summer	white
<i>Aster cordifolius</i>	Heart-leaved Aster			●	●		—		2-3	Fall	light purple
<i>Aster ericoides</i>	Heath Aster		○				—		2-3	Fall	white
<i>Aster firmus</i>	Marsh Aster		○	●		—			3-5	Fall	white
<i>Aster laevis</i>	Smooth Aster		○				—		3-4	Fall	light purple
<i>Aster lateriflorus</i>	Calico Aster			●	●		—		2-4	Fall	white
<i>Aster macrophyllus</i>	Big-leaved Aster			●	●		—		2-3	Fall	light purple
<i>Aster novae-angliae</i>	New England Aster		○				—		3-5	Fall	purple
<i>Aster oolentangiensis</i>	Skyblue Aster		○	●			—		2-3	Fall	light purple
<i>Aster pilosus</i>	Frost Aster		○				—		3-5	Fall	white
<i>Aster sagittifolius</i>	Arrow-leaved Aster		○	●			—		3-5	Fall	white
<i>Aster shortii</i>	Short's Aster			●			—		2-3	Fall	light purple
<i>Aster umbellatus</i>	Flat-topped Aster		○			—			3-4	Fall	white
<i>Boehmeria cylindrica</i>	False Nettle		○	●		—			2-3	Summer	green
<i>Campanula americana</i>	Tall Bellflower			●	●		—		3-6	late Summer	blue
<i>Campanula rotundifolia</i>	Harebell			●			—		1-2	Summer	blue
<i>Cassia hebecarpa</i>	Wild Senna		○	●			—		4-6	Summer	yellow
<i>Chelone glabra</i>	Turtlehead		○	●			—		3-5	late Summer	white
<i>Circaea lutetiana</i>	Enchanter's Nightshade			●	●		—		2-3	Summer	white
<i>Cirsium discolor</i>	Pasture Thistle		○	●			—		5-10	late Summer	pink
<i>Cirsium muticum</i>	Swamp Thistle		○				—		5-10	late Summer	purple
<i>Clematis virginiana</i>	Virgin's Bower		○	●			—		Vine	Summer	white
<i>Collinsonia canadensis</i>	Stoneroot				●		—		3-4	late Summer	yellow
<i>Coreopsis lanceolata</i>	Sand Coreopsis		○	●			—		2-3	Summer	yellow
<i>Coreopsis tripteris</i>	Tall Coreopsis		○	●			—		5-8	late Summer	yellow
<i>Cryptotaenia canadensis</i>	Honewort			●	●		—		2-3	Summer	white
<i>Dentaria laciniata</i>	Cut-leaved Toothwort	+			●		—		1-1.5	Spring	white-pink
<i>Desmodium canadensis</i>	Showy Tick Trefoil		○	●			—		3-5	Summer	pink-purple
<i>Desmodium glutinosum</i>	Woodland Tick Trefoil			●	●		—		2-4	Summer	pink-purple
<i>Desmodium illinoense</i>	Prairie Tick Trefoil		○				—		3-6	Summer	pink-purple
<i>Dioscorea villosa</i>	Wild Yam		○	●		—			Vine	Summer	green
<i>Erigeron pulchellus</i>	Robin's Plantain		○	●			—		1-2	Spring	white-pink
<i>Euonymus obovata</i>	Creeping Strawberry-bush			●	●		—		.5-1.5	Spring	bronze
<i>Eupatorium maculatum</i>	Joe Pye Weed		○				—		4-6	late Summer	pink
<i>Eupatorium perfoliatum</i>	Boneset		○	●			—		3-5	late Summer	white
<i>Eupatorium purpureum</i>	Sweet-smelling Joe Pye			●	●		—		4-6	late Summer	pink-white
<i>Eupatorium rugosum</i>	White Snakeroot			●	●		—		3-4	late Summer	white

* All plants provided by the Native Plant Nursery are Michigan native species propagated from Michigan sources.
Visit Us at the Ann Arbor Farmers Market, Saturdays, throughout the growing season.

The Native Plant Nursery

2010 Perennial Plant List

Michigan Native Plants

Latin Name	Common Name		Sun	Moisture	Ht. (ft.)	Flowers	
<i>Euphorbia corollata</i>	Flowering Spurge		☉	—	3-4	late Summer	white
<i>Euthamia graminifolia</i>	Grass-leaved goldenrod		☉	—	3-4	Fall	yellow
<i>Fragaria virginiana</i>	Wild Strawberry		☉	—	.5 -1	Spring	white
<i>Geranium maculatum</i>	Wild Geranium		☉	—	2-2.5	Spring	rose-purple
<i>Geum canadense</i>	White Avens		☉	—	1-2.5	Summer	white
<i>Gnaphalium obtusifolium</i>	Sweet Everlasting		☉	—	2 -3	late Summer	white
<i>Helenium autumnale</i>	Sneezeweed		☉	—	3-6	Fall	yellow
<i>Helianthus divaricatus</i>	Woodland Sunflower		☉	—	3-5	late Summer	yellow
<i>Helianthus giganteus</i>	Tall Sunflower		☉	—	6-8	late Summer	yellow
<i>Helianthus pauciflorus</i>	Prairie Sunflower		☉	—	3-4	late Summer	yellow
<i>Helianthus strumosus</i>	Pale-leaved Sunflower		☉	—	4-6	late Summer	yellow
<i>Heliopsis helianthoides</i>	False Sunflower		☉	—	4-6	late Summer	yellow
<i>Heracleum maximum</i>	Cow Parsnip		☉	—	4-8	Summer	white
<i>Heuchera americana</i>	Alumroot		☉	—	1-3	Summer	green
<i>Hypericum ascyron</i>	Giant St. Johnswort		☉	—	3-5	late Summer	yellow
<i>Hypericum punctatum</i>	Spotted St. Johnswort		☉	—	2-3	late Summer	yellow
<i>Iris virginica</i>	Blue Flag Iris		☉	—	2-3	Spring	blue
<i>Lespedeza capitata</i>	Rnd-headed Bush-clover		☉	—	3-5	late Summer	white
<i>Lespedeza hirta</i>	Hairy Bush-clover		☉	—	3-4	late Summer	white
<i>Lespedeza violacea</i>	Violet Bush-clover		☉	—	1-2	late Summer	purple
<i>Lespedeza virginica</i>	Slender Bush Clover		☉	—	2-3	late Summer	white-pink
<i>Liatris aspera</i>	Rough Blazing Star		☉	—	3-5	late Summer	pink
<i>Liatris spicata</i>	Marsh Blazing Star		☉	—	3-5	late Summer	pink
<i>Lobelia cardinalis</i>	Cardinal Flower		☉	—	2-4	Fall	red
<i>Lobelia siphilitica</i>	Blue Lobelia		☉	—	2-4	Fall	blue
<i>Lupinus perennis</i>	Wild Lupine		☉	—	1-2	Spring	blue
<i>Lycopus americanus</i>	Water Horehound		☉	—	2-3	late Summer	white
<i>Lycopus uniflorus</i>	Bugleweed		☉	—	2-3	late Summer	white
<i>Lysimachia ciliata</i>	Fringed loosestrife		☉	—	2-4	Summer	yellow
<i>Mentha arvensis</i>	Wild Mint		☉	—	2-3	Summer	pink
<i>Mimulus ringens</i>	Monkey Flower		☉	—	2-3	Summer	purple
<i>Monarda fistulosa</i>	Beebalm		☉	—	3-5	Summer	purple
<i>Monarda punctata</i>	Horsemint		☉	—	1-3	Summer	yellow-pink
<i>Oenothera biennis</i>	Evening Primrose		☉	—	3-6	Summer-Fall	yellow
<i>Oenothera fruticosa</i>	Sundrops		☉	—	1-2	Summer	yellow
<i>Penstemon digitalis</i>	Foxglove Beardtongue		☉	—	3-4	Spring	white
<i>Penstemon hirsutus</i>	Hairy Beardtongue		☉	—	1-2	Spring	purple
<i>Phryma leptostachya</i>	Lopseed		☉	—	2-3	Summer	pink
<i>Polygonatum biflorum</i>	Solomon Seal	+	☉	—	1-3	Spring	green
<i>Polygonum virginianum</i>	Jumpseed		☉	—	2-3	late Summer	white
<i>Potentilla simplex</i>	Common cinquefoil		☉	—	.5-1	late Spring	yellow
<i>Prenanthes alba</i>	Tall White Lettuce		☉	—	3-5	late Summer	white-pink
<i>Prenanthes altissima</i>	Tall Rattlesnake Root		☉	—	3-6	late Summer	pale yellow
<i>Pycnanthemum virginianum</i>	Mountain Mint		☉	—	2-4	late Summer	white
<i>Ranunculus hispidus</i>	Swamp Buttercup		☉	—	1	Spring	yellow
<i>Ratibida pinnata</i>	Tall Yellow Coneflower		☉	—	3-6	Summer	yellow
<i>Rudbeckia hirta</i>	Black Eyed Susan		☉	—	1-3	Summer-Fall	yellow
<i>Rudbeckia laciniata</i>	Cut-leaved Coneflower		☉	—	3-8	late Summer	yellow
<i>Rudbeckia triloba</i>	Three-lobed Coneflower		☉	—	1-3	Fall	yellow
<i>Rumex orbiculatus</i>	Great Water Dock		☉	—	4-6	Summer	green
<i>Scrophularia marilandica</i>	Maryland Figwort		☉	—	4-6	Summer	maroon
<i>Scutellaria lateriflora</i>	Mad-dog Skullcap		☉	—	2-3	late Summer	blue
<i>Senecio aureus</i>	Golden Ragwort		☉	—	2-3	Spring	golden
<i>Senecio obovatus</i>	Round-leaved Ragwort		☉	—	2-3	Spring	yellow
<i>Silphium terebinthinaceum</i>	Prairie Dock		☉	—	4-10	late Summer	yellow
<i>Sisyrinchium albidum</i>	Common Blue-eyed Grass		☉	—	1-2	Spring	lt. blue
<i>Sisyrinchium angustifolium</i>	Stout Blue-eyed Grass		☉	—	1-2	Spring	blue
<i>Smilacina racemosa</i>	Solomon's Plume	+	☉	—	1-2.5	Spring	white
<i>Smilacina stellata</i>	Starry Solomon's Plume	+	☉	—	1-2	Spring	white

* All plants provided by the Native Plant Nursery are Michigan native species propagated from Michigan sources.
Visit Us at the Ann Arbor Farmers Market, Saturdays, throughout the growing season.

Latin Name	Common Name		Sun	Moisture	Ht. (ft.)	Flowers	
<i>Solidago caesia</i>	Blue-stem Goldenrod		☉	—	2-3	Fall	yellow
<i>Solidago flexicaulis</i>	Zig-zag Goldenrod		☉	—	1-2.5	Fall	yellow
<i>Solidago hispida</i>	Hairy Goldenrod		☉	—	2-3	Fall	yellow
<i>Solidago juncea</i>	Early Goldenrod		☉	—	2-4	Fall	yellow
<i>Solidago nemoralis</i>	Gray Goldenrod		☉	—	2-3	Fall	yellow
<i>Solidago patula</i>	Swamp Goldenrod		☉	—	2-6	Fall	yellow
<i>Solidago riddellii</i>	Ridell's Goldenrod		☉	—	2-3	Fall	yellow
<i>Solidago rigida</i>	Stiff Goldenrod		☉	—	3-5	Fall	yellow
<i>Solidago rugosa</i>	Rough Goldenrod		☉	—	3-5	Fall	yellow
<i>Solidago speciosa</i>	Showy Goldenrod		☉	—	3-5	Fall	yellow
<i>Stachys tenuifolia</i>	Smooth Hedge Nettle		☉	—	2-4	Summer	pink-white
<i>Teucrium canadense</i>	Wood Sage		☉	—	2-4	Summer	pink
<i>Thalictrum dasycarpum</i>	Tall Meadowrue		☉	—	3-7	late Summer	white
<i>Thalictrum dioicum</i>	Early Meadowrue		☉	—	1.5-2.5	Spring	green
<i>Tradescantia ohimensis</i>	Spiderwort		☉	—	2-3	Summer	blue
<i>Verbena hastata</i>	Blue Vervain		☉	—	3-6	late Summer	purple-blue
<i>Verbena stricta</i>	Hoary Vervain		☉	—	2-3	late Summer	purple-blue
<i>Vernonia missurica</i>	Ironweed		☉	—	4-7	late Summer	purple
<i>Veronicastrum virginicum</i>	Culver's Root		☉	—	4-6	late Summer	white
<i>Zizia aurea</i>	Golden Alexanders		☉	—	3-4	Spring	yellow

GRASSES, SEDGES & RUSHES

Latin Name	Common Name	see key	Sun	Moisture	Height (ft.)	Plant Prices
<i>Andropogon gerardii</i>	Big Bluestem		☉	—	5-7	Plugs (1.5"x6" deep)
<i>Brachyeletum erectum</i>	Long-awned Wood Grass		☉	—	.5-2	(1- 31) (32-63) (64+)
<i>Bromus latiglumis</i>	Wood Chess		☉	—	3-4	\$2.00 \$1.75 \$1.50
<i>Calamagrostis canadensis</i>	Blue-joint Grass		☉	—	3-4	
<i>Carex bebbii</i>	Bebb's Sedge		☉	—	2-3	½ crate (32 ct) \$50.00
<i>Carex bicknellii</i>	Prairie Sedge		☉	—	2-3	½ cr mxd (32 ct) \$56.00
<i>Carex cephalophora</i>	Oval-leaf Sedge		☉	—	1-2	crate (64 ct) \$80.00
<i>Carex grayi</i>	Gray's Sedge		☉	—	2-3	mxd crate (64 ct) \$96.00
<i>Carex gracillima</i>	Slender Sedge		☉	—	2-3	
<i>Carex hirtifolia</i>	Hairy Wood Sedge		☉	—	1-2	
<i>Carex hystericina</i>	Porcupine Sedge		☉	—	2-4	Quarts (3"x6" deep)
<i>Carex muskingumensis</i>	Muskingum Sedge		☉	—	1-2	Quarts \$5.00
<i>Carex normalis</i>	Normal Sedge		☉	—	2-3	crate (16 ct) \$75.00
<i>Carex pensylvanica</i>	Pennsylvania Sedge	+	☉	—	.5-1	mxd crate (16 ct) \$80.00
<i>Carex rosea</i>	Rosy Sedge		☉	—	1	Garden Kits: \$60.00
<i>Carex sprengelii</i>	Sprengel's Sedge		☉	—	1-2	butterfly garden kit
<i>Carex stipata</i>	Awl-fruited Sedge		☉	—	1.5-2.5	rain garden kit
<i>Carex stricta</i>	Tussock Sedge		☉	—	3-4	woodland garden kit
<i>Carex vulpinodea</i>	Fox Sedge		☉	—	2-3	
<i>Elymus riparius</i>	Riverbank Wild Rye		☉	—	3-4	kit includes 32 plugs;
<i>Elymus villosus</i>	Silky Wild Rye		☉	—	2-3	a mix of Michigan native
<i>Elymus virginicus</i>	Virginia Wild Rye		☉	—	3-4	wildflowers & grasses.
<i>Eragrostis spectabilis</i>	Purple Love Grass		☉	—	1-1.5	
<i>Glyceria striata</i>	Fowl-manna Grass		☉	—	1-3	
<i>Hystrix patula</i>	Bottle-brush Grass		☉	—	3-5	
<i>Juncus effusus</i>	Soft-stemmed Rush		☉	—	2-3	
<i>Juncus tenuis</i>	Path Rush		☉	—	.5-1	
<i>Panicum virgatum</i>	Switch Grass		☉	—	4-5	
<i>Schizachyrium scoparius</i>	Little Bluestem		☉	—	2-4	
<i>Scirpus atrovirens</i>	Black Bulrush		☉	—	3-5	
<i>Sorghastrum nutans</i>	Indian Grass		☉	—	4-6	
<i>Spartina pectinata</i>	Prairie Cordgrass		☉	—	4-6	
<i>Sporobolus heterolepis</i>	Prairie Dropseed		☉	—	1-2	

KEY:

- ☉ Full sun
- ☼ Part Sun
- Shade
- + non-standard price
- W M D wet, med, dry



*please note, availability changes throughout the season. Visit our website at www.nativeplant.com or contact us for more information.

* All plants provided by the Native Plant Nursery are Michigan native species propagated from Michigan sources.
Visit Us at the Ann Arbor Farmers Market, Saturdays, throughout the growing season.