

WILDFLOWERS		Sun	Moisture	Height	Flowering	Flower
Latin Name	Common Name		W M D	(ft.)	time	Color
<i>Achillea millefolium</i>	Yarrow	☉ ☉	—	2-3	Summer	white
<i>Acorus calamus</i>	Sweet-flag	☉ ☉	—	3-4	Spring	green
<i>Actaea pachypoda</i>	Doll's Eyes	☉ ☉ ●	—	2-3	Spring	white
<i>Agastache nepetoides</i>	Giant Yellow Hyssop	☉ ☉	—	4-6	Summer	pink-yellow
<i>Agrimonia gryposepala</i>	Agrimony	☉ ☉ ●	—	2-3	Summer	yellow
<i>Agrimonia parviflora</i>	Swamp Agrimony	☉ ☉	—	3-4	Summer	yellow
<i>Allium cernuum</i>	Nodding Wild Onion	☉ ☉	—	1-2	Summer	pink
<i>Amphicarpaea bracteata</i>	Hog-Peanut	☉ ☉	—	vine	Summer	white-purple
<i>Anemone cylindrica</i>	Long-fruited Anemone	☉ ☉	—	2-4	Summer	white
<i>Anemone virginiana</i>	Thimbleweed	☉ ☉ ●	—	2-4	Summer	white
<i>Anemone thalictroides</i>	Rue Anemone	+ ☉ ☉ ●	—	.5	Spring	white
<i>Angelica atropurpurea</i>	Angelica	☉ ☉	—	5-8	Spring	white
<i>Antennaria spp.</i>	Pussytoes	☉ ☉	—	.5 -1	Spring	white
<i>Apocynum androsaemifolium</i>	Spreading Dogbane	☉ ☉	—	3-4	Summer	white-pink
<i>Apocynum cannabinum</i>	Indian Hemp	☉ ☉	—	3-4	Summer	white
<i>Aquilegia canadensis</i>	Columbine	☉ ☉ ●	—	2-3	Spring	yellow-red
<i>Aralia racemosa</i>	Spikenard	☉ ☉ ●	—	3-6	Spring	white
<i>Arisaema triphyllum</i>	Jack-in-the-pulpit	+ ☉ ☉ ●	—	1-2	Spring	green
<i>Asarum canadense</i>	Wild Ginger	☉ ☉ ●	—	.5	Spring	maroon
<i>Asclepias incarnata</i>	Swamp Milkweed	☉ ☉	—	3-4	Summer	pink
<i>Asclepias syriaca</i>	Common Milkweed	☉ ☉	—	4-6	Summer	pink
<i>Asclepias tuberosa</i>	Butterfly Milkweed	☉ ☉	—	2-3	Summer	orange
<i>Asclepias verticillata</i>	Whorled Milkweed	☉ ☉	—	1-2	Summer	white
<i>Aster cordifolius</i>	Heart-leaved Aster	☉ ☉ ●	—	2-3	Fall	light purple
<i>Aster ericoides</i>	Heath Aster	☉ ☉	—	2-3	Fall	white
<i>Aster firmus</i>	Marsh Aster	☉ ☉	—	3-5	Fall	white
<i>Aster laevis</i>	Smooth Aster	☉ ☉	—	3-4	Fall	light purple
<i>Aster lateriflorus</i>	Calico Aster	☉ ☉ ●	—	2-4	Fall	white
<i>Aster macrophyllus</i>	Big-leaved Aster	☉ ☉ ●	—	2-3	Fall	light purple
<i>Aster novae-angliae</i>	New England Aster	☉ ☉	—	3-5	Fall	purple
<i>Aster oolentangiensis</i>	Skyblue Aster	☉ ☉	—	2-3	Fall	light purple
<i>Aster sagittifolius</i>	Arrow-leaved Aster	☉ ☉	—	3-5	Fall	white
<i>Aster shortii</i>	Short's Aster	☉ ☉	—	2-3	Fall	light purple
<i>Aster umbellatus</i>	Flat-topped Aster	☉ ☉	—	3-4	Fall	white
<i>Boehmeria cylindrica</i>	False Nettle	☉ ☉	—	2-3	Summer	green
<i>Campanula rotundifolia</i>	Harebell	☉ ☉	—	1-2	Summer	blue
<i>Cassia hebecarpa</i>	Wild Senna	☉ ☉	—	4-6	Summer	yellow
<i>Chelone glabra</i>	Turtlehead	☉ ☉	—	3-5	late Summer	white
<i>Cirsium discolor</i>	Pasture Thistle	☉ ☉	—	5-10	late Summer	pink
<i>Cirsium muticum</i>	Swamp Thistle	☉ ☉	—	5-10	late Summer	purple
<i>Clematis virginiana</i>	Virgin's Bower	☉ ☉	—	Vine	Summer	white
<i>Collinsonia canadensis</i>	Stoneroot	☉ ☉ ●	—	3-4	late Summer	yellow
<i>Coreopsis lanceolata</i>	Sand Coreopsis	☉ ☉	—	2-3	Summer	yellow
<i>Coreopsis tripteris</i>	Tall Coreopsis	☉ ☉	—	5-8	late Summer	yellow
<i>Cryptotaenia canadensis</i>	Honewort	☉ ☉ ●	—	2-3	Summer	white
<i>Dentaria laciniata</i>	Cut-leaved Toothwort	+ ☉ ☉ ●	—	1-1.5	Spring	white-pink
<i>Desmodium canadensis</i>	Showy Tick Trefoil	☉ ☉	—	3-5	Summer	pink-purple
<i>Desmodium glutinosum</i>	Woodland Tick Trefoil	☉ ☉ ●	—	2-4	Summer	pink-purple
<i>Desmodium illinoense</i>	Prairie Tick Trefoil	☉ ☉	—	3-6	Summer	pink-purple
<i>Dioscorea villosa</i>	Wild Yam	☉ ☉	—	Vine	Summer	green
<i>Erigeron pulchellus</i>	Robin's Plantain	☉ ☉	—	1-2	Spring	white-pink
<i>Euonymus obovata</i>	Creeping Strawberry-bush	☉ ☉ ●	—	.5-1.5	Spring	maroon
<i>Eupatorium maculatum</i>	Joe Pye Weed	☉ ☉	—	4-6	late Summer	pink
<i>Eupatorium perfoliatum</i>	Boneset	☉ ☉	—	3-5	late Summer	white
<i>Eupatorium purpureum</i>	Sweet-smelling Joe Pye	☉ ☉ ●	—	4-6	late Summer	pink-white
<i>Eupatorium rugosum</i>	White Snakeroot	☉ ☉ ●	—	3-4	late Summer	white
<i>Euthamia graminifolia</i>	Grass-leaved goldenrod	☉ ☉	—	4-5	Fall	yellow
<i>Fragaria virginiana</i>	Wild Strawberry	☉ ☉	—	.5 -1	Spring	white
<i>Geranium maculatum</i>	Wild Geranium	☉ ☉ ●	—	2-2.5	Spring	rose-purple
<i>Gnaphalium obtusifolium</i>	Sweet Everlasting	☉ ☉	—	2 -3	late Summer	white
<i>Helenium autumnale</i>	Sneezeweed	☉ ☉	—	3-6	Fall	yellow
<i>Helianthus divaricatus</i>	Woodland Sunflower	☉ ☉	—	3-5	late Summer	yellow
<i>Helianthus giganteus</i>	Tall Sunflower	☉ ☉	—	6-8	late Summer	yellow
<i>Helianthus pauciflorus</i>	Prairie Sunflower	☉ ☉	—	3-4	late Summer	yellow
<i>Helianthus strumosus</i>	Pale-leaved Sunflower	☉ ☉	—	4-6	late Summer	yellow
<i>Heliopsis helianthoides</i>	False Sunflower	☉ ☉	—	4-6	late Summer	yellow
<i>Heracleum maximum</i>	Cow Parsnip	☉ ☉ ●	—	4-8	Summer	white
<i>Heuchera americana</i>	Alumroot	☉ ☉ ●	—	1-3	Summer	green
<i>Hydrophyllum virginianum</i>	Virginia Waterleaf	☉ ☉ ●	—	1-1.5	Spring	white-purple

WILDFLOWERS (cont.)		Sun	Moisture	Height	Flowering	Flower
Latin Name	Common Name		W M D	(ft.)	time	Color
<i>Hypericum ascyron</i>	Giant St. Johnswort	☉ ☉	—	3-5	late Summer	yellow
<i>Hypericum punctatum</i>	Spotted St. Johnswort	☉ ☉	—	2-3	late Summer	yellow
<i>Iris virginica</i>	Blue Flag Iris	☉ ☉	—	2-3	Spring	blue
<i>Lespedeza capitata</i>	Rnd-headed Bush-clover	☉	—	3-5	late Summer	white
<i>Lespedeza hirta</i>	Hairy Bush-clover	☉	—	3-4	late Summer	white
<i>Lespedeza violacea</i>	Violet Bush-clover	☉ ☉	—	1-2	late Summer	purple
<i>Lespedeza virginica</i>	Slender Bush Clover	☉	—	2-3	late Summer	white-pink
<i>Liatris aspera</i>	Rough Blazing Star	☉	—	3-5	late Summer	pink
<i>Liatris spicata</i>	Marsh Blazing Star	☉	—	3-5	late Summer	pink
<i>Lobelia cardinalis</i>	Cardinal Flower	☉ ☉ ☉	—	2-4	Fall	red
<i>Lobelia siphilitica</i>	Blue Lobelia	☉ ☉ ☉	—	2-4	Fall	blue
<i>Lupinus perennis</i>	Wild Lupine	☉ ☉	—	1-2	Spring	blue
<i>Lycopus americanus</i>	Water Horehound	☉ ☉	—	2-3	late Summer	white
<i>Lycopus uniflorus</i>	Bugleweed	☉ ☉	—	2-3	late Summer	white
<i>Lysimachia quadriflora</i>	Prairie loosestrife	☉	—	2-3	Summer	yellow
<i>Lysimachia quadrifolia</i>	Whorled loosestrife	☉ ☉ ☉	—	2-2.5	Summer	yellow
<i>Lysimachia ciliata</i>	Fringed loosestrife	☉ ☉ ☉	—	2-4	Summer	yellow
<i>Mentha arvensis</i>	Wild Mint	☉ ☉	—	2-3	Summer	pink
<i>Mimulus ringens</i>	Monkey Flower	☉ ☉	—	2-3	Summer	purple
<i>Monarda fistulosa</i>	Beebalm	☉ ☉	—	3-5	Summer	purple
<i>Monarda punctata</i>	Horsemint	☉ ☉	—	1-3	Summer	yellow
<i>Oenothera biennis</i>	Evening Primrose	☉ ☉	—	3-6	Summer-Fall	yellow
<i>Oenothera fruticosa</i>	Sundrops	☉ ☉	—	1-3	Summer	yellow
<i>Osmorhiza claytonii</i>	Sweet Cicely	☉ ☉ ☉	—	2-3	Spring	white
<i>Penstemon digitalis</i>	Foxglove Beardtongue	☉ ☉ ☉	—	3-4	Spring	white
<i>Penstemon hirsutus</i>	Hairy Beardtongue	☉ ☉	—	1-2	Spring	purple
<i>Phryma leptostachya</i>	Lopseed	☉ ☉ ☉	—	2-3	Summer	pink
<i>Physalis spp.</i>	Ground Cherry	☉ ☉	—	2-3	Summer	pale yellow
<i>Polygonatum biflorum</i>	Solomon Seal	+ ☉ ☉ ☉	—	1-3	Spring	green
<i>Polygonum virginianum</i>	Jumpseed	☉ ☉ ☉	—	2-3	late Summer	white
<i>Potentilla simplex</i>	Common cinquefoil	☉ ☉	—	.5-1	late Spring	yellow
<i>Prenanthes altissima</i>	Tall Rattlesnake Root	☉ ☉ ☉	—	3-6	late Summer	pale yellow
<i>Pycnanthemum virginianum</i>	Mountain Mint	☉	—	2-4	late Summer	white
<i>Ranunculus hispidus</i>	Swamp Buttercup	☉ ☉	—	1	Spring	yellow
<i>Ratibida pinnata</i>	Tall Yellow Coneflower	☉	—	4-6	Summer	yellow
<i>Rudbeckia hirta</i>	Black Eyed Susan	☉ ☉	—	2-3	Summer-Fall	yellow
<i>Rudbeckia laciniata</i>	Cut-leaved Coneflower	☉ ☉ ☉	—	4-8	late Summer	yellow
<i>Rudbeckia triloba</i>	Three-lobed Coneflower	☉ ☉ ☉	—	1-3	Fall	yellow
<i>Sanguinaria canadensis</i>	Bloodroot	+ ☉ ☉ ☉	—	1-1.5	Spring	white
<i>Scutellaria lateriflora</i>	Mad-dog Skullcap	☉ ☉ ☉	—	2-3	late Summer	blue
<i>Senecio aureus</i>	Golden Ragwort	☉ ☉ ☉	—	2-3	Spring	golden
<i>Senecio obovatus</i>	Round-leaved Ragwort	☉ ☉	—	2-3	Spring	yellow
<i>Silphium terebinthinaceum</i>	Prairie Dock	☉ ☉	—	4-8	late Summer	yellow
<i>Sisyrinchium angustifolium</i>	Stout Blue-eyed Grass	☉ ☉	—	1-2	Spring	blue
<i>Smilacina racemosa</i>	Solomon's Plume	+ ☉ ☉ ☉	—	1-2.5	Spring	white
<i>Solidago caesia</i>	Blue-stem Goldenrod	☉ ☉ ☉	—	2-3	Fall	yellow
<i>Solidago flexicaulis</i>	Zig-zag Goldenrod	☉ ☉ ☉	—	1-2.5	Fall	yellow
<i>Solidago hispida</i>	Hairy Goldenrod	☉ ☉ ☉	—	2-3	Fall	yellow
<i>Solidago juncea</i>	Early Goldenrod	☉ ☉	—	2-4	Fall	yellow
<i>Solidago nemoralis</i>	Gray Goldenrod	☉ ☉	—	2-3	Fall	yellow
<i>Solidago patula</i>	Swamp Goldenrod	☉ ☉	—	2-6	Fall	yellow
<i>Solidago riddellii</i>	Ridell's Goldenrod	☉ ☉	—	2-3	Fall	yellow
<i>Solidago rigida</i>	Stiff Goldenrod	☉ ☉	—	3-5	Fall	yellow
<i>Solidago rugosa</i>	Rough Goldenrod	☉ ☉	—	3-5	Fall	yellow
<i>Solidago speciosa</i>	Showy Goldenrod	☉ ☉	—	3-5	Fall	yellow
<i>Stachys tenuifolia</i>	Smooth Hedge Nettle	☉ ☉	—	2-4	Summer	pink-white
<i>Teucrium canadense</i>	Wood Sage	☉ ☉	—	2-4	Summer	pink
<i>Thalictrum dasycarpum</i>	Tall Meadowrue	☉ ☉ ☉	—	3-7	late Summer	white
<i>Thalictrum dioicum</i>	Early Meadowrue	☉ ☉ ☉	—	1.5-2.5	Spring	green
<i>Tradescantia ohioensis</i>	Spiderwort	☉ ☉	—	2-3	Summer	blue
<i>Verbena hastata</i>	Blue Vervain	☉	—	3-6	late Summer	purple-blue
<i>Verbena stricta</i>	Hoary Vervain	☉	—	2-3	late Summer	purple-blue
<i>Vernonia missurica</i>	Ironweed	☉ ☉	—	4-7	late Summer	purple
<i>Veronicastrum virginicum</i>	Culver's Root	☉ ☉	—	4-6	late Summer	white
<i>Zizia aurea</i>	Golden Alexanders	☉ ☉	—	3-4	Spring	yellow

GRASSES, SEDGES & RUSHES

Latin Name	Common Name	see key	Sun	Moisture W M D	Height (ft.)
<i>Andropogon gerardii</i>	Big Bluestem		○	—	5-7
<i>Brachyelytrum erectum</i>	Long-awned Wood Grass		●	—	.5-2
<i>Bromus latiglumis</i>	Wood Chess		●	—	3-4
<i>Calamagrostis canadensis</i>	Blue-joint Grass		○	—	3-4
<i>Carex bebbii</i>	Bebb's Sedge		○	—	2-3
<i>Carex bicknelii</i>	Prairie Sedge		○	—	2-3
<i>Carex cephalophora</i>	Oval-leaf Sedge		○	—	1-2
<i>Carex grayi</i>	Gray's Sedge		○	—	2-3
<i>Carex gracillima</i>	Slender Sedge		○	—	2-3
<i>Carex hirtifolia</i>	Hairy Wood Sedge		○	—	1-2
<i>Carex lacustris</i>	Lake Sedge		○	—	3-4
<i>Carex lupulina</i>	Hop Sedge		○	—	1.5-2.5
<i>Carex pennsylvanica</i>	Pennsylvania Sedge	+	○	—	.5-1
<i>Carex rosea</i>	Rosy Sedge		○	—	1
<i>Carex sprengeii</i>	Sprengel's Sedge		○	—	1-2
<i>Carex stipata</i>	Awl-fruited Sedge		○	—	1.5-2.5
<i>Carex stricta</i>	Tussock Sedge		○	—	3-4
<i>Carex tenera</i>	Quill Sedge		○	—	2-3 ft.
<i>Carex vulpinodea</i>	Fox Sedge		○	—	2-3
<i>Elymus villosus</i>	Silky Wild Rye		○	—	2-3
<i>Eragrostis spectabilis</i>	Purple Love Grass		○	—	1-1.5
<i>Glyceria striata</i>	Fowl-manna Grass		○	—	1-3
<i>Hystrix patula</i>	Bottle-brush Grass		○	—	3-5
<i>Juncus effusus</i>	Soft-stemmed Rush		○	—	2-3
<i>Juncus tenuis</i>	Path Rush		○	—	.5-1
<i>Panicum implicatum</i>	Hairy Panic Grass		○	—	1-2
<i>Panicum virgatum</i>	Switch Grass		○	—	4-5
<i>Schizachyrium scoparius</i>	Little Bluestem		○	—	2-4
<i>Scirpus atrovirens</i>	Black Bulrush		○	—	3-5
<i>Sorghastrum nutans</i>	Indian Grass		○	—	4-6
<i>Sparganium angrocladum</i>	Branched Bur-reed		○	—	1.5-2.5
<i>Spartina pectinata</i>	Prairie Cordgrass		○	—	4-6
<i>Sporobolus heterolepis</i>	Prairie Dropseed		○	—	1-2

Plant Prices

Plugs (1.5"x6" deep)
 (1- 31) (32-63) (64+)
 \$2.00 \$1.75 \$1.50

½ crate (32 ct) \$50.00
 ½ cr mxd (32 ct) \$56.00
 crate (64 ct) \$80.00
 mxd crate (64 ct) \$96.00

Quarts (3"x6" deep)
 Quarts \$5.00
 crate (16 ct) \$75.00
 mxd crate (16 ct) \$80.00

Garden Kits: \$60.00
 butterfly garden kit
 rain garden kit
 woodland garden kit

kit includes 32 plugs;
 a mix of Michigan native
 wildflowers & grasses.

KEY:
 ○ Full sun
 ⊗ Part Sun
 ● Shade
 + non-standard price
W M D wet, med, dry



WOODY PLANTS

We also grow several species of native Michigan shrubs and trees; including Elderberry, red-berried Elder, Chokecherry, Ninebark, Bladdernut, Juniper, Wild roses & others. Most are available in 1-gallon size pots for \$15 each.

*please note, availability may vary throughout the season.
 Visit our website at www.nativeplant.com or contact us
 for further information.