

WILDFLOWERS		Sun	Moisture	Height	Flowering	Flower
Latin Name	Common Name		W M D	(ft.)	time	Color
<i>Achillea millefolium</i>	Yarrow	☉ ☉	—	2-3	Summer	white
<i>Acorus calamus</i>	Sweet-flag	☉ ☉	—	3-4	Spring	green
<i>Actaea pachypoda</i>	Doll's Eyes	☉ ●	—	2-3	Spring	white
<i>Agastache nepetoides</i>	Giant Yellow Hyssop	☉	—	4-6	Summer	pink-yellow
<i>Agrimonia gryposepala</i>	Agrimony	☉ ●	—	2-3	Summer	yellow
<i>Agrimonia parviflora</i>	Swamp Agrimony	☉ ☉	—	3-4	Summer	yellow
<i>Allium cernuum</i>	Nodding Wild Onion	☉ ☉	—	1-2	Summer	pink
<i>Amphicarpaea bracteata</i>	Hog-Peanut	☉ ☉	—	vine	Summer	white-purple
<i>Anemone cylindrica</i>	Long-fruited Anemone	☉ ☉	—	2-4	Summer	white
<i>Anemone virginiana</i>	Thimbleweed	☉ ☉ ●	—	2-4	Summer	white
<i>Anemonella thalictroides</i>	Rue Anemone	+ ☉ ●	—	.5	Spring	white
<i>Angelica atropurpurea</i>	Angelica	☉ ☉	—	5-8	Spring	white
<i>Antennaria spp.</i>	Pussytoes	☉ ☉	—	.5 -1	Spring	white
<i>Apocynum androsaemifolium</i>	Spreading Dogbane	☉ ☉	—	3-4	Summer	white-pink
<i>Apocynum cannabinum</i>	Indian Hemp	☉ ☉	—	3-4	Summer	white
<i>Aquilegia canadensis</i>	Columbine	☉ ●	—	2-3	Spring	yellow-red
<i>Aralia racemosa</i>	Spikenard	☉ ●	—	3-6	Spring	white
<i>Arisaema triphyllum</i>	Jack-in-the-pulpit	+ ☉ ●	—	1-2	Spring	green
<i>Asarum canadense</i>	Wild Ginger	☉ ●	—	.5	Spring	maroon
<i>Asclepias incarnata</i>	Swamp Milkweed	☉	—	3-4	Summer	pink
<i>Asclepias syriaca</i>	Common Milkweed	☉ ☉	—	4-6	Summer	pink
<i>Asclepias tuberosa</i>	Butterfly Milkweed	☉	—	2-3	Summer	orange
<i>Asclepias verticillata</i>	Whorled Milkweed	☉	—	1-2	Summer	white
<i>Aster cordifolius</i>	Heart-leaved Aster	☉ ●	—	2-3	Fall	light purple
<i>Aster ericoides</i>	Heath Aster	☉	—	2-3	Fall	white
<i>Aster firmus</i>	Marsh Aster	☉ ☉	—	3-5	Fall	white
<i>Aster laevis</i>	Smooth Aster	☉	—	3-4	Fall	light purple
<i>Aster lateriflorus</i>	Calico Aster	☉ ●	—	2-4	Fall	white
<i>Aster macrophyllus</i>	Big-leaved Aster	☉ ●	—	2-3	Fall	light purple
<i>Aster novae-angliae</i>	New England Aster	☉	—	3-5	Fall	purple
<i>Aster oolentangiensis</i>	Skyblue Aster	☉ ☉	—	2-3	Fall	light purple
<i>Aster sagittifolius</i>	Arrow-leaved Aster	☉ ☉	—	3-5	Fall	white
<i>Aster shortii</i>	Short's Aster	☉	—	2-3	Fall	light purple
<i>Aster umbellatus</i>	Flat-topped Aster	☉	—	3-4	Fall	white
<i>Boehmeria cylindrica</i>	False Nettle	☉ ☉	—	2-3	Summer	green
<i>Campanula rotundifolia</i>	Harebell	☉	—	1-2	Summer	blue
<i>Cassia hebecarpa</i>	Wild Senna	☉ ☉	—	4-6	Summer	yellow
<i>Chelone glabra</i>	Turtlehead	☉ ☉	—	3-5	late Summer	white
<i>Cirsium discolor</i>	Pasture Thistle	☉ ☉	—	5-10	late Summer	pink
<i>Cirsium muticum</i>	Swamp Thistle	☉	—	5-10	late Summer	purple
<i>Clematis virginiana</i>	Virgin's Bower	☉ ☉	—	Vine	Summer	white
<i>Collinsonia canadensis</i>	Stoneroot	☉ ●	—	3-4	late Summer	yellow
<i>Coreopsis lanceolata</i>	Sand Coreopsis	☉ ☉	—	2-3	Summer	yellow
<i>Coreopsis tripteris</i>	Tall Coreopsis	☉ ☉	—	5-8	late Summer	yellow
<i>Cryptotaenia canadensis</i>	Honewort	☉ ●	—	2-3	Summer	white
<i>Dentaria laciniata</i>	Cut-leaved Toothwort	+ ☉ ●	—	1-1.5	Spring	white-pink
<i>Desmodium canadensis</i>	Showy Tick Trefoil	☉ ☉	—	3-5	Summer	pink-purple
<i>Desmodium glutinosum</i>	Woodland Tick Trefoil	☉ ●	—	2-4	Summer	pink-purple
<i>Desmodium illinoense</i>	Prairie Tick Trefoil	☉	—	3-6	Summer	pink-purple
<i>Dioscorea villosa</i>	Wild Yam	☉ ☉	—	Vine	Summer	green
<i>Erigeron pulchellus</i>	Robin's Plantain	☉ ☉	—	1-2	Spring	white-pink
<i>Euonymus obovata</i>	Creeping Strawberry-bush	☉ ●	—	.5-1.5	Spring	maroon

\* All plants provided by the Native Plant Nursery are Michigan native species propagated from Michigan sources. Visit Us at the Ann Arbor Farmers Market, Saturdays, throughout the growing season.

WILDFLOWERS (cont.)		Sun	Moisture	Height	Flowering	Flower
Latin Name	Common Name		W M D	(ft.)	time	Color
<i>Eupatorium maculatum</i>	Joe Pye Weed	○	—	4-6	late Summer	pink
<i>Eupatorium perfoliatum</i>	Boneset	○ ⊗	—	3-5	late Summer	white
<i>Eupatorium purpureum</i>	Sweet-smelling Joe Pye	○ ⊗ ●	—	4-6	late Summer	pink-white
<i>Eupatorium rugosum</i>	White Snakeroot	○ ⊗ ●	—	3-4	late Summer	white
<i>Euthamia graminifolia</i>	Grass-leaved goldenrod	○ ⊗	—	4-5	Fall	yellow
<i>Fragaria virginiana</i>	Wild Strawberry	○ ⊗	—	.5 -1	Spring	white
<i>Geranium maculatum</i>	Wild Geranium	○ ⊗ ●	—	2-2.5	Spring	rose-purple
<i>Gnaphalium obtusifolium</i>	Sweet Everlasting	○	—	2 -3	late Summer	white
<i>Helenium autumnale</i>	Sneezeweed	○ ⊗	—	3-6	Fall	yellow
<i>Helianthus divaricatus</i>	Woodland Sunflower	○ ⊗	—	3-5	late Summer	yellow
<i>Helianthus giganteus</i>	Tall Sunflower	○ ⊗	—	6-8	late Summer	yellow
<i>Helianthus pauciflorus</i>	Prairie Sunflower	○ ⊗	—	3-4	late Summer	yellow
<i>Helianthus strumosus</i>	Pale-leaved Sunflower	○ ⊗	—	4-6	late Summer	yellow
<i>Heliopsis helianthoides</i>	False Sunflower	○ ⊗	—	4-6	late Summer	yellow
<i>Heracleum maximum</i>	Cow Parsnip	○ ⊗ ●	—	4-8	Summer	white
<i>Heuchera americana</i>	Alumroot	○ ⊗ ●	—	1-3	Summer	green
<i>Hydrophyllum virginianum</i>	Virginia Waterleaf	○ ⊗ ●	—	1-1.5	Spring	white-purple
<i>Hypericum ascyron</i>	Giant St. Johnswort	○ ⊗	—	3-5	late Summer	yellow
<i>Hypericum punctatum</i>	Spotted St. Johnswort	○ ⊗	—	2-3	late Summer	yellow
<i>Iris virginica</i>	Blue Flag Iris	○ ⊗	—	2-3	Spring	blue
<i>Lespedeza capitata</i>	Rnd-headed Bush-clover	○	—	3-5	late Summer	white
<i>Lespedeza hirta</i>	Hairy Bush-clover	○	—	3-4	late Summer	white
<i>Lespedeza violacea</i>	Violet Bush-clover	○ ⊗	—	1-2	late Summer	purple
<i>Lespedeza virginica</i>	Slender Bush Clover	○	—	2-3	late Summer	white-pink
<i>Liatris aspera</i>	Rough Blazing Star	○	—	3-5	late Summer	pink
<i>Liatris spicata</i>	Marsh Blazing Star	○	—	3-5	late Summer	pink
<i>Lobelia cardinalis</i>	Cardinal Flower	○ ⊗ ●	—	2-4	Fall	red
<i>Lobelia siphilitica</i>	Blue Lobelia	○ ⊗ ●	—	2-4	Fall	blue
<i>Lupinus perennis</i>	Wild Lupine	○ ⊗	—	1-2	Spring	blue
<i>Lycopus americanus</i>	Water Horehound	○ ⊗	—	2-3	late Summer	white
<i>Lycopus uniflorus</i>	Bugleweed	○ ⊗	—	2-3	late Summer	white
<i>Lysimachia quadriflora</i>	Prairie loosestrife	○	—	2-3	Summer	yellow
<i>Lysimachia quadrifolia</i>	Whorled loosestrife	○ ⊗ ●	—	2-2.5	Summer	yellow
<i>Lysimachia ciliata</i>	Fringed loosestrife	○ ⊗ ●	—	2-4	Summer	yellow
<i>Mentha arvensis</i>	Wild Mint	○ ⊗	—	2-3	Summer	pink
<i>Mimulus ringens</i>	Monkey Flower	○ ⊗	—	2-3	Summer	purple
<i>Monarda fistulosa</i>	Beebalm	○ ⊗	—	3-5	Summer	purple
<i>Monarda punctata</i>	Horsemint	○	—	1-3	Summer	yellow
<i>Oenothera biennis</i>	Evening Primrose	○ ⊗	—	3-6	Summer-Fall	yellow
<i>Oenothera fruticosa</i>	Sundrops	○ ⊗	—	1-3	Summer	yellow
<i>Osmorhiza claytonii</i>	Sweet Cicely	○ ⊗ ●	—	2-3	Spring	white
<i>Penstemon digitalis</i>	Foxglove Beardtongue	○ ⊗ ●	—	3-4	Spring	white
<i>Penstemon hirsutus</i>	Hairy Beardtongue	○ ⊗	—	1-2	Spring	purple
<i>Phryma leptostachya</i>	Lopseed	○ ⊗ ●	—	2-3	Summer	pink
<i>Physalis spp.</i>	Ground Cherry	○ ⊗	—	2-3	Summer	pale yellow
<i>Polygonatum biflorum</i>	Solomon Seal	○ ⊗ ●	—	1-3	Spring	green
<i>Polygonum virginianum</i>	Jumpseed	○ ⊗ ●	—	2-3	late Summer	white
<i>Potentilla simplex</i>	Common cinquefoil	○ ⊗	—	.5-1	late Spring	yellow
<i>Prenanthes altissima</i>	Tall Rattlesnake Root	○ ⊗ ●	—	3-6	late Summer	pale yellow
<i>Pycnanthemum virginianum</i>	Mountain Mint	○	—	2-4	late Summer	white
<i>Ranunculus hispidus</i>	Swamp Buttercup	○ ⊗	—	1	Spring	yellow
<i>Ratibida pinnata</i>	Tall Yellow Coneflower	○	—	4-6	Summer	yellow
<i>Rudbeckia hirta</i>	Black Eyed Susan	○ ⊗	—	2-3	Summer-Fall	yellow
<i>Rudbeckia laciniata</i>	Cut-leaved Coneflower	○ ⊗ ●	—	4-8	late Summer	yellow

**WILDFLOWERS (cont.)**

Latin Name	Common Name		Sun			Moisture			Height (ft.)	Flowering time	Flower Color
			W	M	D	W	M	D			
<i>Rudbeckia triloba</i>	Three-lobed Coneflower		☉	☀	☀	—	—	—	1-3	Fall	yellow
<i>Sanguinaria canadensis</i>	Bloodroot	+		☀	☀	—	—	—	1-1.5	Spring	white
<i>Scutellaria lateriflora</i>	Mad-dog Skullcap		☉	☀	☀	—	—	—	2-3	late Summer	blue
<i>Senecio aureus</i>	Golden Ragwort		☉	☀	☀	—	—	—	2-3	Spring	golden
<i>Senecio obovatus</i>	Round-leaved Ragwort		☉	☀	☀	—	—	—	2-3	Spring	yellow
<i>Silphium terebinthinaceum</i>	Prairie Dock		☉	☀	☀	—	—	—	4-8	late Summer	yellow
<i>Sisyrinchium angustifolium</i>	Stout Blue-eyed Grass		☉	☀	☀	—	—	—	1-2	Spring	blue
<i>Smilacina racemosa</i>	Solomon's Plume	+	☉	☀	☀	—	—	—	1-2.5	Spring	white
<i>Solidago caesia</i>	Blue-stem Goldenrod		☉	☀	☀	—	—	—	2-3	Fall	yellow
<i>Solidago flexicaulis</i>	Zig-zag Goldenrod			☀	☀	—	—	—	1-2.5	Fall	yellow
<i>Solidago hispida</i>	Hairy Goldenrod		☉	☀	☀	—	—	—	2-3	Fall	yellow
<i>Solidago juncea</i>	Early Goldenrod		☉	☀	☀	—	—	—	2-4	Fall	yellow
<i>Solidago nemoralis</i>	Gray Goldenrod		☉	☀	☀	—	—	—	2-3	Fall	yellow
<i>Solidago patula</i>	Swamp Goldenrod		☉	☀	☀	—	—	—	2-6	Fall	yellow
<i>Solidago riddellii</i>	Ridell's Goldenrod		☉	☀	☀	—	—	—	2-3	Fall	yellow
<i>Solidago rigida</i>	Stiff Goldenrod		☉	☀	☀	—	—	—	3-5	Fall	yellow
<i>Solidago rugosa</i>	Rough Goldenrod		☉	☀	☀	—	—	—	3-5	Fall	yellow
<i>Solidago speciosa</i>	Showy Goldenrod		☉	☀	☀	—	—	—	3-5	Fall	yellow
<i>Stachys tenuifolia</i>	Smooth Hedge Nettle		☉	☀	☀	—	—	—	2-4	Summer	pink-white
<i>Teucrium canadense</i>	Wood Sage		☉	☀	☀	—	—	—	2-4	Summer	pink
<i>Thalictrum dasycarpum</i>	Tall Meadowrue		☉	☀	☀	—	—	—	3-7	late Summer	white
<i>Thalictrum dioicum</i>	Early Meadowrue		☉	☀	☀	—	—	—	1.5-2.5	Spring	green
<i>Tradescantia ohiensis</i>	Spiderwort		☉	☀	☀	—	—	—	2-3	Summer	blue
<i>Verbena hastata</i>	Blue Vervain		☉	☀	☀	—	—	—	3-6	late Summer	purple-blue
<i>Verbena stricta</i>	Hoary Vervain		☉	☀	☀	—	—	—	2-3	late Summer	purple-blue
<i>Vernonia missurica</i>	Ironweed		☉	☀	☀	—	—	—	4-7	late Summer	purple
<i>Veronicastrum virginicum</i>	Culver's Root		☉	☀	☀	—	—	—	4-6	late Summer	white
<i>Zizia aurea</i>	Golden Alexanders		☉	☀	☀	—	—	—	3-4	Spring	yellow

\* All plants provided by the Native Plant Nursery are Michigan native species propagated from Michigan sources. Visit Us at the Ann Arbor Farmers Market, Saturdays, throughout the growing season.

**GRASSES, SEDGES & RUSHES**

Latin Name	Common Name	see key	Sun	Moisture			Height (ft.)
				W	M	D	
<i>Andropogon gerardii</i>	Big Bluestem		☉	—	—	—	5-7
<i>Brachyelytrum erectum</i>	Long-awned Wood Grass		☀	—	—	—	.5-2
<i>Bromus latiglumis</i>	Wood Chess		☀	—	—	—	3-4
<i>Calamagrostis canadensis</i>	Blue-joint Grass		☉	—	—	—	3-4
<i>Carex bebbii</i>	Bebb's Sedge		☉☀	—	—	—	2-3
<i>Carex bicknelii</i>	Prairie Sedge		☉☀	—	—	—	2-3
<i>Carex cephalophora</i>	Oval-leaf Sedge		☉☀☀	—	—	—	1-2
<i>Carex grayi</i>	Gray's Sedge		☀☀	—	—	—	2-3
<i>Carex gracillima</i>	Slender Sedge		☀☀	—	—	—	2-3
<i>Carex hirtifolia</i>	Hairy Wood Sedge		☀☀	—	—	—	1-2
<i>Carex lacustris</i>	Lake Sedge		☉☀	—	—	—	3-4
<i>Carex lupulina</i>	Hop Sedge		☀☀	—	—	—	1.5-2.5
<i>Carex pensylvanica</i>	Pennsylvania Sedge	+	☀☀	—	—	—	.5-1
<i>Carex rosea</i>	Rosy Sedge		☀☀	—	—	—	1
<i>Carex sprengelii</i>	Sprengel's Sedge		☀☀	—	—	—	1-2
<i>Carex stipata</i>	Awl-fruited Sedge		☉☀	—	—	—	1.5-2.5
<i>Carex stricta</i>	Tussock Sedge		☉	—	—	—	3-4
<i>Carex tenera</i>	Quill Sedge		☀	—	—	—	2- 3 ft.
<i>Carex vulpinodea</i>	Fox Sedge		☉☀	—	—	—	2-3
<i>Elymus villosus</i>	Silky Wild Rye		☉☀☀	—	—	—	2-3
<i>Eragrostis spectabilis</i>	Purple Love Grass		☉	—	—	—	1-1.5
<i>Glyceria striata</i>	Fowl-manna Grass		☀☀	—	—	—	1-3
<i>Hystrix patula</i>	Bottle-brush Grass		☉☀☀	—	—	—	3-5
<i>Juncus effusus</i>	Soft-stemmed Rush		☉	—	—	—	2-3
<i>Juncus tenuis</i>	Path Rush		☉☀	—	—	—	.5-1
<i>Panicum implicatum</i>	Hairy Panic Grass		☉☀☀	—	—	—	1-2
<i>Panicum virgatum</i>	Switch Grass		☉	—	—	—	4-5
<i>Schizachyrium scoparius</i>	Little Bluestem		☉	—	—	—	2-4
<i>Scirpus atrovirens</i>	Black Bulrush		☉	—	—	—	3-5
<i>Sorghastrum nutans</i>	Indian Grass		☉	—	—	—	4-6
<i>Sparganium angrocladum</i>	Branched Bur-reed		☉☀	—	—	—	1.5-2.5
<i>Spartina pectinata</i>	Prairie Cordgrass		☉	—	—	—	4-6
<i>Sporobolus heterolepis</i>	Prairie Dropseed		☉	—	—	—	1-2

**Plant Prices**

Plugs (1.5"x6" deep)  
 (1- 31) (32-63) (64+)  
 \$2.00 \$1.75 \$1.50

½ cr mxd (32 ct) \$56.00  
 mxd crate (64 ct) \$96.00

Quarts (3"x6" deep)  
 Quarts \$5.00  
 crate (16 ct) \$75.00  
 mxd crate (16 ct) \$80.00

Garden Kits: \$60.00  
 butterfly garden kit  
 rain garden kit  
 woodland garden kit

kit includes 32 plugs;  
 a mix of Michigan native  
 wildflowers & grasses.

**KEY:**  
 ☉ Full sun  
 ☀ Part Sun  
 ● Shade  
 + non-standard price  
**W M D** wet, med, dry



**WOODY PLANTS**

We also grow several species of native Michigan shrubs and trees; including Elderberry, Red-berried Elder, Chokecherry, Ninebark, Bladdernut, Juniper, Wild roses & others. Most are available in 1-gallon size pots for \$15 each.

\*please note, availability may vary throughout the season.  
 Visit our website at [www.nativeplant.com](http://www.nativeplant.com) or contact us  
 for further information.

\* All plants provided by the Native Plant Nursery are Michigan native species propagated from Michigan sources. Visit Us at the Ann Arbor Farmers Market, Saturdays, throughout the growing season.